Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

110 and L21

Display: 20 **Documents in Display Format:** - **Starting with Number** 1

Generate: ○ Hit List ◉ Hit Count ○ Side by Side ○ Image

[Search] [Clear] [Interrupt]

Search History

DATE: **Tuesday, March 20, 2007** <u>Purge Queries</u> <u>Printable Copy</u> <u>Create Case</u>

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L22	110 and L21	9	L22
L21	16 and L20	153	L21
L20	18 and 119	1275	L20
L19	11 near4 14	10393	L19
L18	16 with 17	24	L18
L17	19 and L16	1	L17
L16	113 or 114 or 115	393	L16
L15	KATAYAMA-KUNIHIRO$.in.	280	L15
L14	TSUNODA-MOTOYASU$.in.	135	L14
L13	MIZUSHIMA-NAGAMASA$.in.	21	L13
L12	19 and 110	5	L12
L11	18 and L10	2144	L11
L10	711/$.ccls.	33376	L10
L9	L8 and 17 and 16 and 13 and 12 and 11	119	L9
L8	(ic or (integrated adj circuit)) adj2 (chip or card)	158884	L8
L7	(instruction or command) adj2 code	39200	L7

L6	l4 adj2 l5	80644	L6
L5	id or identification or name or number	8121756	L5
L4	application or software	4466285	L4
L3	interfac$	1369587	L3
L2	cpu or processor	1423715	L2
L1	((flash or nonvolatile) adj memory) or eeprom	228265	L1

END OF SEARCH HISTORY

IEEE *Xplore*®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ **Search Session History**

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 20 Mar 2007, 5:50:19 PM EST

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((ie <or> integrated circuit)<in>metadata)	93397
#2	((ic <or> integrated circuit)<in>metadata)	96675
#3	((flash <or> eeprom <or> nonvolatile) <and> memory<IN>metadata)	4346
#4	((((flash <or> eeprom <or> nonvolatile) <and> memory<in>metadata))<AND>(application <and> (id <or> identification)<in>metadata))	33
#5	((((((flash <or> eeprom <or> nonvolatile) <and> memory<in>metadata))<and>(application <and> (id <or> identification)<in>metadata)))<AND>(command<in>metadata))	0

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
🔲 Inspec®